

6357
U. S.

[REPORT OF THE SECRETARY OF THE NAVY, 1889. pp. 414-425.]

Physical &
Astrological Socy
Serials

REPORT

OF

THE SUPERINTENDENT

OF THE

U. S. NAVAL OBSERVATORY

FOR THE

YEAR ENDING JUNE 30, 1889.



WASHINGTON:
GOVERNMENT PRINTING OFFICE
1889.

[REPORT OF THE SECRETARY OF THE NAVY, 1889. pp. 414-425.]

REPORT

OF

THE SUPERINTENDENT

OF THE

U. S. NAVAL OBSERVATORY

FOR THE

YEAR ENDING JUNE 30, 1889.

WASHINGTON:

GOVERNMENT PRINTING OFFICE.

1889.

REPORT
OF THE
SUPERINTENDENT OF THE U. S. NAVAL OBSERVATORY.

WASHINGTON, 1889.

REPORT OF SUPERINTENDENT OF NAVAL OBSERVATORY.

U. S. NAVAL OBSERVATORY,
Washington, August 19, 1889.

SIR: I have the honor to submit, in compliance with the Bureau's order of the 6th instant (No. 1816 b) the report of the Naval Observatory for the fiscal year ending June 30, 1889.

The following changes in the personnel have occurred. Detachments: Commander A. D. Brown, on October 30, 1888; Lieut. William P. Elliott, March 13, 1889; Lieut. L. C. Heilner, April 18; Lieut. A. G. Winterhalter, April 29; Ensign A. N. Mayer, April 19, 1889. Assistant Astronomer William C. Winlock resigned May 14, 1889. Reported for duty: Lieut. Hiero Taylor, November 27, 1888; Lieut. W. O. Sharrer December 20, 1888, and Ensign J. A. Hoogewerff, June 1, 1889.

DIVISION OF WORK—OFFICERS IN CHARGE.

Assistant to Superintendent.—This office ceased to exist on the detachment of Commander Brown, and the duties formerly pertaining to it have, since December, been performed by Lieutenant Sharrer.

Chronometers and time service.—Lieut. Hiero Taylor.

East transit instrument.—Lieut. B. W. Hodges.

Inspection of instruments.—Ensign A. B. Clements.

Magnetic instruments.—Ensign C. C. Marsh.

Great equatorial.—Prof. Asaph Hall.

Transit circle.—Prof. J. R. Eastman.

9.6-inch equatorial.—Prof. Edgar Frisby.

Library.—Assistant Astronomer H. M. Paul.

Instrument-maker.—William F. Gardner.

Clerk.—Thomas Harrison.

The meteorological observations were made by the watchmen, Dennis Horigan, Nicholas Cahill, and William Henderson.

Prof. William Harkness is also attached to the Observatory for special duty as the member of the Transit of Venus Commission, having direct charge of the reductions and computations of the observations of 1874 and 1882. His report of the progress of the work is hereto appended, marked Appendix B.

THE GREAT EQUATORIAL.

(Professor Hall, in charge.)

This instrument has been employed in observing double stars and the satellites of Saturn. Attention was also given to the appearance of this planet, to the divisions of the ring, and to the shadows. As the satellite Iapetus had returned to nearly the same apparent position with respect to Saturn that it had in 1875, a new series of observations by the method of differences of right ascension and declination was made at the last opposition. These have been reduced and are nearly ready for discussion. The drawings of Saturn have been finished, and the notes on the appearance of the planet made since 1875 have been sent to the printer. These drawings and notes will appear as Appendix II to the volume for 1885.

Ensign H. S. Chase has been employed on the work of this instrument, in revising the reductions and in preparing the observations for publication.

Mr. George Anderson has had charge of the dome and the gas-engine.

The instrument is in good order.

THE TRANSIT CIRCLE.

(Professor Eastman, in charge.)

The transit circle has been employed on observations of the sun, moon, major and minor planets, and such stars as were necessary for clock and instrumental corrections. The observation of a small list of stars for the U. S. Coast and Geodetic Survey has also been undertaken.

The assistants on the work of this instrument have been Assistant Astronomer A. N. Skinner; Assistant Astronomer H. M. Paul, to November, 1888; Assistant Astronomer W. C. Winlock, to May 14, 1889; Computer William M. Brown; Computer A. S. Flint, since November 24, 1888.

From October 9, 1888, to June 30, 1889, 1,700 observations were made with the transit circle. Of this number 68 were of the sun, 50 of the moon, 93 of the major planets, 18 of the minor planets, and 5 of Comet *e* 1888. Clock signals were exchanged with Buchtel College Observatory, Akron, Ohio, on six nights in December and January to determine the longitude of that observatory.

The reduction of the observations which have been accumulated with this instrument has delayed observations on the zone of stars for the German Astronomical Society.

The transit circle work for 1885 is nearly ready to be copied for the printer, and the reductions for 1886 are now in hand.

But one of the two additional computers estimated for last year was authorized by Congress; he has not yet been appointed. The other is asked for in the estimates recently submitted. It is earnestly hoped that the services of both, so greatly needed, may be obtained.

THE 9.6-INCH EQUATORIAL.

(Professor Frisby, in charge.)

This instrument has been used for the identification of stars whenever necessary, and for the observation of small planets, comets, and occultations of stars by the moon. Three comets have been seen, and observed whenever possible; the observations have all been reduced and published in the *Astronomical Journal*. Two evenings in the week have been set apart for the accommodation of visitors. Permits for 1,665 visitors were issued.

The revision of Yarnall's Catalogue of Stars has been completed, and the work is nearly ready for distribution.

VARIABLE STARS.

For the last year and a half, Assistant Astronomer H. M. Paul has been engaged upon observations of a list of stars which have at various times been suspected of variability in brightness. One of the results of this work has been the discovery of a new variable in the constella-

tion *Antlia*, with a period of less than twelve hours, the shortest period yet known. These observations will be published as soon as they can be prepared for the printer.

CHRONOMETERS AND TIME SERVICE.

(Lieutenant Taylor, in charge.)

Lieutenant Taylor reported for duty November 27, 1888. Ensign Mayer had been in charge up to that time and continued on duty here until April 19, 1889, when he was detached.

The records show that during the year chronometers have been issued to eleven ships and one shore station. Chronometers have been received from the same number of ships and shore stations. The chronometers received from the *Nipsic* and the *Vandalia* were so damaged that they have not been sent to the makers for repairs; other chronometers received were sent to the makers for necessary repairs. Two box chronometers have been condemned for use as hack-chronometers. In October, 1888, fourteen chronometers were purchased. Fifty-six chronometers received from makers, cleaned and repaired, were placed under trial in the temperature-room December 23, 1888, and kept there until March 6, 1889. The routine observed in the temperature-room was the same as for the trial of 1887-88. The only mishap occurred two days before the end of the last term at 45°, when a leak from the ice-chamber was discovered. The chronometers were not injured, and the trial in the chronometer-room has been completed. The records of this trial are given in Appendix A. The following table shows the number and disposition of the chronometers belonging to the Government at the end of the fiscal year:

Disposition of chronometers.	Box.	Hack.	Disposition of chronometers.	Box.	Hack.
Ready for issue	21	1	Repairing.....	32	2
Issued	145	73	Loaned	3	3
Trial	56		Total	282	215
For repairs.....	25	136			

In addition there are: 7 chronometric watches, 6 hack-chronometric watches, 4 comparing watches.

No changes have been made in the routine of sending out time signals. The signals are sent every day, Sundays and holidays excepted, over the wires of the Western Union Telegraph Company, and time-balls are dropped at noon, 75th meridian, at Boston, Wood's Holl, Newport, New York, Philadelphia, Baltimore, Hampton Roads, Savannah, and New Orleans. The Washington time-ball is worked by signals over a Government wire leading from the Observatory to the State-War-and-Navy building. With the single exception of Newport, the Observatory receives no reports from time-ball stations. Such reports, if it were possible to get them, would be valuable.

The signals have also been used to correct the clocks on the Observatory clock line. This service has been on the whole satisfactory. The only serious trouble occurred in September, 1888, when the line was grounded in the new Government cable. The clocks up to the ground were corrected as usual, and beyond it by the use of a battery loaned by the Western Union Telegraph Company, the signals being repeated from the company's office. The line is in good condition now, and the service is so satisfactory that there is a demand for its extension to all the Government buildings.

EAST TRANSIT INSTRUMENT.

(Lieutenant Hodges, in charge.)

Lieutenant Heilner was in charge until April 18, and was succeeded by Lieutenant Hodges.

The instrument and all its connections are in good condition. The clocks have performed well. Observations have been taken to determine the corrections of the clocks whenever the weather permitted. Owing perhaps to the excessive amount of rainy weather the standard mean time clock has acquired a steady gaining rate of from two to three tenths of a second a day, having previously had a small losing rate.

INSPECTION OF INSTRUMENTS.

(Ensign A. B. Clements, in charge.)

Class A, sextants and octants.—There were on hand at the time of the last annual report thirty-one sextants; eight have been received from Fauth & Co., having been repaired, and eight have been issued to ships in commission, leaving thirty-one now on hand. Of these, four are small hydrographic sextants, all ready for issue, and twenty-seven are of full size. Of the large sextants, twenty-two are in good condition for issue.

Class B, thermometers.—A Draper recording thermometer similar to the one examined last year was received from the agents in this city and placed under comparison. The results of this comparison only emphasized the conclusions of the previous trial. The recording apparatus works well, but the thermometer does not respond quickly to changes of temperature, and it can not be regarded as a reliable instrument for use in the service.

Class C, spy-glasses.—There have been received from various makers five spy-glasses, which were carefully examined, but they were not recommended for use in the service, and they have been returned to their owners.

Class D, station pointers.—No instruments of this class have been received for examination.

Class E, clinometers.—None received for examination.

Class F, barometers.—None received for examination.

Class G, binocular glasses.—Sixty-one binoculars have been examined. Of these twenty-seven were of the pattern referred to in the last annual report, and twenty were purchased; six were found defective and returned to makers, and one still awaits action. The remaining thirty-four, embracing many different constructions, were carefully examined, but, being found to be unsuited to the use of the service, were returned to the makers.

There are now on hand three; one the property of Levy, Dreyfus & Co., New York, one of the novel construction patented by Steinheil & Son, retained as a sample but unfit for issue, and one, a standard glass, in good condition.

RECAPITULATION.

	On hand at last report.	Received.	Issued.	Returned to maker.	On hand.
Sextants	31	8	8	31
Thermometers	2	1	1	2
Spy-glasses	1	5	5	5	1
Binocular glasses	3	61	21	40	3

MAGNETIC INSTRUMENTS.

(Ensign Marsh, in charge.)

Lieut. Wm. P. Elliott was in charge until March 13, 1889, when he was succeeded by Ensign C. C. Marsh, with Ensign J. A. Hoogewerff as an assistant since June 1.

The self-recording magnetometer has been in operation continuously, with the exception of about ten days, from January 1 (when all the magnetographs were examined, cleaned, and, when necessary, readjusted), and an occasional stoppage of the clock, caused generally by the balance arrangement of the shades getting out of order. A new agate knife-edge was fitted to the vertical-force magnetograph, and has worked satisfactorily. As no change was made in the distance of the mirror of the declination magnetograph from the recording cylinder, the value of last year was retained, viz:

Declination.—One centimeter of ordinate=11'.29 of arc.

The value of 1 millimeter of ordinate of the horizontal and vertical-force magnetographs has been determined, at intervals of about one month, by the method of double deflections, the last, on June 12, giving—

Horizontal force, 1^{mm} of ordinate=.00004687 c. g. s. units.

Vertical force, 1^{mm} of ordinate=.00004302 c. g. s. units.

The temperature co-efficients of the H. F. and V. F. magnetographs have been determined by experiment once every three months, the last, June 13, giving—

Horizontal force, change of 1° C.=1.47 millimeters.

Vertical force, change of 1° C.=1.61 millimeters.

Observations of absolute declination have been taken twice a day, generally between 9 and 10 a. m. and 3 and 4 p. m., and from them the value of the photographed base-lines of the declination magnetographs is deduced. The performance of the large declination magnet and theodolite is good.

Observations have been made on Tuesday of each week for the determination of the absolute horizontal intensity, and once each month they have been made with the inertia cylinder attached to the magnet. The magnetometer and magnets are in good order.

Observations of the magnetic inclination have been made, using three needles in rotation, in the forenoon and afternoon of every Monday and Friday. The dip circle and needles are in good condition.

Drawings of the composite curves, taken from the declination magnetograms, are made for each month and negatives taken from them, so that prints can be made to send to other observatories and persons interested in terrestrial magnetism.

A full set of original photographs of the curves (of which there are now two—made by using two papers on each cylinder) is sent to Kew each month.

This division has been furnished with copies of the magnetograph curves of declination from Toronto and Los Angeles. All disturbed days are selected, and a comparison of the disturbances is made by tracings of the curves reduced to the same scale and placed over each other. These tracings are copied on blue or "nigrosine" paper, and the prints sent to observatories and persons interested.

The results of the observations, besides being recorded in figures, are, when practicable, put in the form of curves, so that all changes and variations in the terrestrial magnetism can be readily seen and compared with the occurrence of other natural phenomena.

Two seismoscopes and a seismograph have been purchased and set up within a few months, and are in good working order. They are examined from time to time, and the clocks connected with the seismoscopes are carefully rated. The seismoscopes are of the Rose-Polytechnic-Institute pattern; one is in the basement of the magnetograph building, with the seismograph, Lick-Observatory pattern, and the other is on a pier in a small building not in use at present.

THE INTERNATIONAL ASTROPHOTOGRAPHIC CONGRESS, ETC.

The preparation of the report, upon which Lieut. A. G. Winterhalter had been engaged up to the time of his detachment from the Observatory, was continued by him at the torpedo station in addition to his other duties.

The manuscript of Part I, comprising an account of the International Astrophotographic Congress, was sent to the Public Printer in September last; the remainder, containing the details of a visit to various European observatories under orders of the Department, has since been forwarded to the printer. Proof has been received and read since May last, and an early completion of the printing of the report may be expected.

THE LIBRARY.

(Assistant-Astronomer Paul, in charge.)

The library contains, according to the accession book, up to June 30, 12,226 volumes and 2,696 pamphlets. The accessions since the date of the last report have been 308 in number, 235 volumes and 73 pamphlets. Of these, 209 were received as exchanges and 99 by purchase.

The exchange list has been recently revised, and now contains 1,278 names, distributed as follows: Home institutions, 321; individuals, 244; foreign institutions, 244; individuals, 469. In the distribution of the observatory publications the general rule is to send the annual volumes to institutions and the separate reprints of the astronomical appendices to individuals.

The following publications are in the hands of the printer, and will soon be issued:

1. The annual volume for 1884.
2. 1884, Appendix I. A third edition of Yarnall's Catalogue of Stars, prepared by Professor Frisby.
3. 1885, Appendix I. International Astrophotographic Congress, by Lieut. A. G. Winterhalter.
4. 1885, Appendix II. Saturn and its Ring, by Professor Hall.

Assistant-Astronomer Paul has recently been placed in charge of the library in addition to other duties. The services of a librarian's assistant, for which estimates have been submitted, are very much needed.

Very respectfully,

R. L. PHYTHIAN,
Captain, U. S. Navy, Superintendent.

The CHIEF OF THE BUREAU OF NAVIGATION.

APPENDIX A.—Record of trial of repaired chronometers, 1888–89.

[In temperature room from December 23, 1888, to March 6, 1889; after that date in chronometer room.]

Time.....	Dec. 23	Dec. 31	Jan. 8	Jan. 17	Jan. 25	Feb. 2	Feb. 12	Feb. 21	Mar. 1	Mar. 6	Mar. 13	Mar. 20	Mar. 27
	to Dec. 30	to Jan. 7	to Jan. 15	to Jan. 24	to Feb. 1	to Feb. 9	to Feb. 19	to Mar. 6	to Mar. 13	to Mar. 20	to Mar. 27	to Apr. 3	
Temperature, Fahrenheit, per cent.....													
1	Negus	+ 8.463	+ 1.631	+ 0.647	- 0.006	+ 0.853	+ 1.511	+ 1.121	+ 0.510	+ 1.650	+ 1.740	+ 1.734	
2	do	+ 0.941	+ 0.394	+ 0.369	+ 0.889	- 1.399	- 1.111	- 0.703	- 0.307	- 0.640	- 0.091	- 0.153	
3	do	- 1.299	- 0.077	+ 0.203	- 0.181	- 1.470	- 0.776	+ 0.083	- 0.271	- 0.830	+ 0.433	+ 0.627	
4	do	- 1.977	- 0.387	+ 0.074	- 0.880	- 1.149	- 0.729	- 0.290	- 0.159	- 1.390	- 0.117	- 1.633	
5	do	- 1.191	+ 0.320	+ 0.774	+ 0.326	- 0.399	- 0.147	+ 0.547	- 0.164	- 0.640	+ 1.397	+ 1.276	
6	Bond	- 0.950	+ 0.276	- 0.191	- 0.191	- 0.191	- 0.191	- 0.191	- 0.191	- 0.191	- 0.191	- 0.191	
7	Bond	- 0.446	- 0.227	- 0.392	- 0.161	- 0.710	- 1.577	- 0.644	- 0.729	- 0.586	- 0.066	- 0.504	
8	Poole	- 1.727	- 0.680	- 0.797	- 1.460	- 0.241	- 1.576	- 1.239	- 1.807	- 2.240	- 1.139	- 0.020	
9	do	- 1.259	- 0.310	- 0.326	- 0.066	- 0.174	- 0.203	- 0.203	- 0.060	- 0.040	- 0.194	- 0.801	
10	Negus	- 1.288	- 0.463	- 0.463	- 0.463	- 0.463	- 0.463	- 0.463	- 0.463	- 0.463	- 0.463	- 0.463	
11	do	- 1.738	- 0.201	- 0.325	- 0.761	- 1.460	- 2.220	- 1.611	- 1.024	- 1.986	- 2.999	- 2.224	
12	do	- 1.272	- 0.674	- 0.761	- 1.379	- 1.379	- 1.379	- 1.379	- 1.379	- 1.379	- 1.379	- 1.379	
13	Bliss	- 0.834	+ 0.677	+ 1.310	+ 0.326	+ 0.327	+ 0.317	+ 1.119	+ 0.336	- 0.740	+ 0.265	+ 1.087	
14	do	- 1.513	- 0.180	- 0.739	- 0.540	- 0.540	- 0.540	- 0.540	- 0.540	- 0.540	- 0.540	- 0.540	
15	T. S. & J. D. Negus	- 0.620	+ 0.284	+ 1.167	+ 1.183	+ 0.673	+ 1.210	+ 1.297	+ 0.693	+ 0.000	+ 0.219	+ 0.444	
16	do	- 1.336	- 0.217	- 0.731	- 2.704	- 1.880	- 1.880	- 1.880	- 1.880	- 1.880	- 1.880	- 1.880	
17	do	- 1.191	- 0.430	- 0.476	- 0.567	- 0.899	- 0.790	- 0.790	- 0.790	- 0.790	- 0.790	- 0.790	
18	do	- 1.906	- 0.394	- 0.476	- 1.210	- 1.970	- 1.970	- 1.970	- 1.970	- 1.970	- 1.970	- 1.970	
19	do	- 1.477	- 0.430	- 0.453	- 0.317	- 0.106	- 0.361	- 0.333	- 0.593	- 0.200	- 0.217	- 0.163	
20	John Bliss & Co	- 1.156	+ 0.246	+ 0.560	- 0.639	- 1.256	- 0.719	- 0.261	- 0.307	- 0.340	- 0.404	- 0.944	
21	do	- 1.677	- 0.677	- 0.581	- 0.290	- 0.613	- 0.281	- 0.613	- 0.236	- 0.126	- 0.490	- 0.734	
22	Barraud	- 1.156	- 0.427	+ 0.496	- 0.361	- 0.113	- 0.496	- 0.113	- 0.057	- 0.890	- 0.790	- 0.123	
23	Negus	- 1.384	- 1.323	- 0.333	- 0.603	- 1.041	- 0.504	- 0.950	- 1.940	- 0.016	- 0.097	- 0.306	
24	do	- 1.049	- 0.215	- 0.131	- 1.281	- 2.399	- 1.611	- 0.033	- 0.271	- 0.840	- 0.290	- 0.525	
25	do	- 1.441	- 0.180	- 0.167	- 0.167	- 0.567	- 0.469	- 0.333	- 0.271	- 0.340	- 0.897	- 1.159	
26	do	- 2.120	- 0.751	- 0.440	- 2.103	- 2.970	- 2.147	- 0.813	- 1.307	- 2.290	- 0.889	- 0.794	
27	do	- 2.870	- 1.073	- 0.261	- 1.380	- 2.077	- 1.611	- 0.124	- 1.950	- 3.090	- 1.038	- 0.699	
28	do	- 3.334	- 0.677	- 0.917	- 1.361	- 2.327	- 1.710	- 1.111	- 0.093	- 1.076	- 1.444	- 1.520	
29	do	- 0.834	- 0.109	- 0.047	- 1.424	- 2.327	- 1.397	- 1.489	- 1.129	- 1.140	- 0.424	- 0.991	
30	do	- 4.799	- 3.251	- 2.161	- 1.791	- 2.272	- 1.184	- 2.667	- 2.297	- 2.040	- 1.297	- 1.854	
31	Wm. Bond & Son	- 4.799	- 3.251	- 2.161	- 1.791	- 2.272	- 1.184	- 2.667	- 2.297	- 2.040	- 1.297	- 1.854	
32	Dent	- 3.299	- 2.537	- 1.654	- 0.880	- 0.077	- 0.254	- 3.560	- 3.593	- 3.096	- 3.056	- 3.186	
	Bliss	- 2.830	- 2.537	- 1.654	- 0.880	- 0.077	- 0.254	- 3.560	- 3.593	- 3.096	- 3.056	- 3.186	

28	Negus	1470	T. S. & J. D. Negus	-1.786	-0.703	-0.961	-1.753	-2.489	-2.023	-1.291	-0.011	+0.210	+0.259	+0.367	
34	do	1311	do	-1.049	+0.310	-1.899	-1.103	-1.254	+0.219	-0.307	-1.254	+0.383	+0.684		
35	do	1519	do	-3.750	-2.203	-1.533	-2.946	-3.953	-3.809	-2.184	-2.540	-3.694	-2.144	-2.069	
36	do	1282	Usher & Cole	0.834	+1.249	+1.917	+0.826	-1.184	+0.031	+1.801	+1.504	-0.340	+1.801	+1.913	
37	Bliss	464	do	0.515	+0.998	+1.560	+0.933	+0.065	+0.139	+0.083	-0.093	-0.790	+0.576	+1.159	+2.056
38	Negus	1244	T. S. & J. D. Negus	-2.192	-0.680	-0.190	-1.103	-2.113	-0.755	-0.274	-2.121	-2.290	-1.067	-1.091	-1.189
39	Bond	694	De Silva	-0.263	+0.963	+0.524	-1.389	-2.470	-1.826	-0.346	-0.414	-0.140	+0.504	+0.801	+0.915
40	do	3276	Charles Froidisham	-0.263	+1.070	+2.881	+1.004	+0.923	+1.460	+1.229	-0.240	+1.540	+2.133	+2.347	+2.270
41	Negus	1750	T. S. & J. D. Negus	-1.084	+0.463	+1.417	+0.219	-0.756	-0.969	-0.057	-1.140	+0.754	+0.980	+0.980	+1.127
42	do	775	do	-1.013	+0.249	+1.846	+0.611	-0.220	-0.317	+1.154	-0.120	-0.990	+0.469	+0.873	+1.020
43	do	1059	do	-0.765	+0.891	+0.917	-0.576	-0.291	+0.781	+2.190	+2.371	+1.360	+2.611	+2.730	+2.984
44	Bliss	2101	Crisp	-4.906	-1.394	-0.226	-1.281	-2.041	-1.540	-1.346	-2.066	-5.444	-0.389	-0.063	-0.117
45	Negus	1267	T. S. & J. D. Negus	+2.039	+2.932	+4.096	+1.683	+0.994	+1.317	+2.247	+1.800	+1.260	+2.653	+2.597	+2.520
46	do	1268	do	-2.441	+0.806	+1.381	-0.246	-1.361	-1.917	-0.736	-3.340	-0.889	-0.377	-0.189	-0.016
47	do	1097	do	-3.763	-1.694	-0.476	-2.210	-3.641	-2.917	-3.560	-4.730	-3.174	-2.984	-2.831	-2.837
48	do	919	do	-3.394	-1.287	-0.190	-1.317	-2.684	-2.290	-2.310	-4.164	-5.990	-3.863	-3.127	-3.046
49	do	1226	do	-2.084	-1.073	-0.547	-1.067	-1.470	-0.361	-0.476	-1.914	-1.690	-0.746	-0.341	-0.367

APPENDIX A.—Record of trial of repaired chronometers, 1888–89—Continued.

[In temperature room from December 23, 1888, to March 6, 1889; after that date in chronometer room.]

Time	Temperature, Fahrenheit.	Relative humidity per cent.	Repaired by—	No.	Maker.	Temperature of com. penetration, °C. n.	First trial number.	Final trial number.
Apr. 3 to Apr. 10	61°.89	64°.72	1. Negus	1334	T. S. & J. D. Negus8.	.8.	.8.
Apr. 10 to Apr. 17	68°.13	68°.29	2. do	1655	+1.744	+1.524	+1.730	+1.640
Apr. 17 to Apr. 24	68°.34	68°.29	3. do	1454	-0.266	-0.256	-0.619	-0.770
May 1	68°.33	68°.29	4. do	1444	+0.520	+0.459	+0.774	+0.909
May 8	68.3	68.3	5. do	950	-0.194	-0.166	-0.230	-0.095
May 15	68.3	68.3	6. Bond	199	+1.270	+1.530	+1.524	+1.516
May 22	68.3	68.3	7. do	2007	+2.091	+1.137	+2.131	+2.159
May 29	68.3	68.3	8. do	294	+1.484	+1.780	+1.846	+1.944
June 6	68.3	68.3	9. do	446	+0.556	+0.566	+0.524	+0.587
June 13	68.3	68.3	10. Negus	1263	-0.801	-0.684	-0.547	-0.449
June 20	68.3	68.3	11. do	1738	+0.127	+0.137	+0.381	+0.301
June 27	68.3	68.3	12. do	1272	-1.194	-0.934	-0.839	-0.699
July 4	68.3	68.3	13. Negus	1129	+0.163	+0.280	+1.453	+1.457
July 11	68.3	68.3	14. T. S. & J. D. Negus	1290	+0.984	+0.351	+0.417	+0.694
July 18	68.3	68.3	15. do	725	+0.984	+0.867	+0.774	+1.516
July 25	68.3	68.3	16. do	1520	-0.190	-0.239	-0.116	-0.179
Aug. 1	68.3	68.3	17. do	1567	-6.766	-6.899	-6.654	-6.663
Aug. 8	68.3	68.3	18. do	1284	+0.556	+0.744	+0.703	+0.650
Aug. 15	68.3	68.3	19. do	1266	+0.306	+0.351	+0.631	+0.873
Aug. 22	68.3	68.3	20. Bliss & Co	2149	+0.984	+1.351	+1.131	+1.409
Aug. 29	68.3	68.3	21. Bond	2391	+0.699	+0.851	+0.917	+1.016
Sept. 5	68.3	68.3	22. do	2507	+1.377	+1.566	+1.560	+1.768
Sept. 12	68.3	68.3	23. Negus	1105	+0.163	+0.423	+0.596	+0.909
Sept. 19	68.3	68.3	24. do	718	+0.413	+0.423	+0.274	+0.337
Sept. 26	68.3	68.3	25. do	130	-0.194	-0.280	-0.631	-0.873
Oct. 3	68.3	68.3	26. do	1315	-1.087	-1.149	-0.761	-0.687
Oct. 10	68.3	68.3	27. do	991	-0.730	-0.750	-1.333	-1.330
Oct. 17	68.3	68.3	28. Bond	4613	-0.480	-0.541	-0.667	-1.837
Oct. 24	68.3	68.3	29. do	293	-2.104	-1.989	-1.959	-1.973
Oct. 31	68.3	68.3	30. Negus	1644	-2.837	-3.077	-2.797	-2.341
Nov. 7	68.3	68.3	31. Bond	50480	-1.051	-0.755	-0.619	-0.619
Nov. 14	68.3	68.3	32. Bliss	20480	Dent	-1.051	-0.527	-0.409

33	Negrus	1470	T. S. & J. D. Negrus	
34	do	1311	+0.263 -0.631 -1.137	-0.966 -1.023 -1.083 -1.067
35	do	1519	+0.377 +0.131 -0.323	-0.313 -0.511 -0.433
36	do	1282	-2.211 -1.774 -1.851	-1.809 -2.119 -2.053
37	Bliss.....	464	+1.663 do	+1.816 +1.917 +1.944
38	Negrus	1244	+1.663 +2.244 +2.086	+1.854 +1.630 +2.089
39	Bond	684	-0.873 -0.613 -0.547	+2.123 +2.380 +1.631
40	do	3276	+0.806 +0.923 +0.969	+0.961 +0.980 +0.953
41	Negus	1150	+2.377 +2.530 +2.669	+2.159 +2.068 +1.973
42	do	775	+1.020 +1.173 +1.346	+1.144 +1.319 +1.310
43	do	1059	+0.806 +1.244 +1.417	+1.480 +1.354 +0.973
44	Bliss	2101	+2.913 +2.780 +2.917	+2.587 +2.330 +2.116
45	Negrus	1267	+0.163 +0.566 +0.621	+0.569 +0.569 +0.569
46	do	1268	+2.377 +2.439 +2.461	+2.631 +2.739 +2.853
47	do	1087	-0.301 +0.157 +0.381	+0.587 -0.354 +0.386
48	do	919	-2.873 -2.684 -2.660	-2.091 -2.217 -2.297
49	do	1236	-2.980 -2.613 -2.654	-3.003 -2.949 -2.491

26. 5023 | 26. 000611 | 26. 000611 | 26. 000611 | 26. 000611 |

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

35. 94 | -0. 000611 | -0. 000611 | -0. 000611 | -0. 000611 | -0. 000611 |

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

35. 95 | 35. 95 | 35. 95 | 35. 95 | 35. 95 | 35. 95 |

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

35. 96 | 35. 96 | 35. 96 | 35. 96 | 35. 96 | 35. 96 |

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

APPENDIX B.

[Report of Professor William Harkness, of the Transit of Venus Commission.]

U. S. NAVAL OBSERVATORY,
Washington, August 13, 1889.

SIR: I have the honor to submit the following report of the work done during the past year, under my supervision, for the Transit of Venus Commission:

Mr. A. S. Flint was the only assistant employed at the beginning of the year, and he left the service of the Commission on November 24, 1888, because of the exhaustion of the appropriation out of which his salary was paid. Since that date I have had no assistant.

The reduction of all the photographs taken with horizontal photo-heliographs of about 40-feet focus, during the transit of Venus in December, 1882, is now complete, and if we put π for the solar parallax, and $\delta\alpha$ and δD , respectively, for the corrections to the right ascensions and declinations of Venus given by Hill's tables of that planet, it being assumed that Hansen's tables of the sun are correct, the results may be stated as follows:

From position-angles measured on 1,426 photographs:

$$\pi = 8.772'' \pm 0.0496'' \quad \delta\alpha = +2.724'' \pm 0.0811'' \quad \delta D = +1.447'' \pm 0.1343''$$

From distances measured on 1,475 photographs:

$$\pi = 8.847'' \pm 0.0122'' \quad \delta\alpha = +2.893'' \pm 0.0430'' \quad \delta D = +1.246'' \pm 0.0241''$$

Weighted mean from both position angles, and distances:

$$\pi = 8.842'' \pm 0.0188'' \quad \delta\alpha = +2.856'' \pm 0.0380'' \quad \delta D = +1.252'' \pm 0.0237''$$

From the American Ephemeris for 1882, pp. 278 and 405, we have for the epoch 1882, December 6^d 5^h 00^m Greenwich mean time,

Apparent right ascension of sun,	$253^{\circ} 12' 35.75''$
Apparent declination of sun,	$-22^{\circ} 33' 17.53''$
Apparent obliquity of ecliptic,	$23^{\circ} 27' 09.49''$
Log. distance, sun to earth,	9.9934260
Log. distance, sun to Venus,	9.8576405
Inclination of orbit of Venus,	$3^{\circ} 23' 36.32''$
Constant of aberration,	20.4451''

From the photographs, the observed position of Venus for the epoch in question, is—

$$\begin{aligned} \text{Apparent right ascension} &= 253^{\circ} 12' 35.75'' - 02' 44.424'' + 02.856'' \\ &= 253^{\circ} 09' 54.182'' + d\alpha \odot \pm 0.0380''. \end{aligned}$$

$$\begin{aligned} \text{Apparent declination} &= -22^{\circ} 33' 17.53'' - 10' 21.371'' + 01.252'' \\ &= -22^{\circ} 43' 37.649'' + d\delta \odot \pm 0.0237''. \end{aligned}$$

And from these data we find:

Apparent geocentric longitude of sun,	$254^{\circ} 31' 39.976''$
Apparent geocentric latitude of sun,	$-0^{\circ} 00' 00.093''$
Apparent geocentric longitude of Venus,	$254^{\circ} 30' 23.235'' + d\lambda \odot$
Apparent geocentric latitude of Venus,	$-0^{\circ} 10' 33.255'' + d\beta \odot$
True geocentric longitude of sun,	$254^{\circ} 32' 00.729''$
True geocentric latitude of sun,	$-0^{\circ} 00' 00.093''$
Heliocentric longitude of Venus,	$74^{\circ} 32' 24.611'' + d\lambda \odot$
Heliocentric latitude of Venus,	$-0^{\circ} 03' 51.791'' - d\beta \odot$
Longitude of Venus in her orbit,	$= 74^{\circ} 32' 17.74'' + d\lambda \odot + 0.030 d\beta \odot$
Longitude, $\Omega = 75^{\circ} 37' 33.91'' + d\lambda \odot - 16.868 d\beta \odot - 0.321 di$	

With $\pi = 8.842'' \pm 0.0118''$, and 3963.296 miles for the equatorial radius of the earth, which is General A. R. Clarke's value, the mean

distance from the earth to the sun is 92,455,000 miles, with a probable error of only 123,400 miles.

The measurements of the eighty-six photographs taken at New Haven have not yet been finally discussed, and the reduction of the photographs taken during the transit of December, 1874, has never been completed. Furthermore, the contact observations made by our own parties in 1874 and 1882, and by nearly a hundred volunteer observers in 1882, yet remain unreduced. I need the services of an assistant in order to accomplish all this work with the rapidity which is desirable.

Thus far Congress has provided only for the printing of the observations of the transit of 1874; and, as these observations are now nearly all in type, I would respectfully call attention to the urgent need of some provision for the printing of the observations made in 1882. If such provision is deferred until after the manuscript is ready for the printer, much unnecessary delay will result.

Hitherto it has been customary to endeavor to determine the solar parallax as if it were an independent constant, and the result is a mass of discordant values, all of which are more or less affected by constant errors, and none of which commands anything like universal assent. But, in truth, the solar parallax is not an independent constant. On the contrary, it is entangled with the lunar parallax, the constants of precession and nutation, the parallactic inequality of the moon, the lunar inequality of the earth, the masses of the earth and moon, the ratio of the solar and lunar tides, the constant of aberration, the velocity of light and the light equation, and, according to the most elementary mathematical principles, it should be determined simultaneously with all these quantities. No other method affords anything like so much promise of eliminating the ever-present constant errors, and for that reason I took it up last fall, intending to prosecute it as a private investigation during my leisure time. The results attained were presented to the Philosophical Society of Washington on October 13, 1888, but since then, in connection with my official work, the paper has been greatly expanded and will be ready for publication in a few days. In accordance with your wishes it is to form part of the annual volume of this Observatory.

Very respectfully,

WILLIAM HARKNESS,

*Professor of Mathematics, U. S. Navy,
Of Executive Committee of Transit of Venus Commission*

Capt. R. L. PHYTHIAN, U. S. Navy,
*Superintendent of Naval Observatory,
President of Transit of Venus Commission.*





